

Web table Adjusted Risk ratios for good clinical outcome at discharge and 3 months

		Complete vs incomplete		Carotid score	
		Circle of Willis	1 vs 0	2 vs 0	1 vs 2
At discharge	Risk ratio (RR, 95% CI)	0.82 (0.38 - 1.78)	1.29 (0.20 - 8.43)	1.85 (0.30 - 11.39)	1.44 (0.74- 2.80)
	Adjusted RR Age	0.79 (0.38 - 1.67)	1.13 (0.18 - 7.10)	1.48 (0.24 - 9.11)	1.32 (0.68 - 2.60)
	Adjusted RR NIHSS <sup>†</sup>	0.84 (0.42 - 1.65)	1.22 (0.20 - 7.46)	1.48 (0.25 - 8.58)	1.22 (0.63 - 2.33)
	Adjusted RR time to IAT	0.86 (0.33 - 2.23)	1.05 (0.16 - 6.90)	1.49 (0.25 - 8.91)	1.41 (0.61 - 3.25)
	Adjusted RR ASPECTS <sup>‡</sup>	0.90 (0.44 - 1.85)	1.76 (0.28 - 11.11)	2.41 (0.40 - 14.41)	1.37 (0.72 - 2.62)
	Adjusted RR CFG <sup>§</sup>	0.96 (0.46 - 2.01)	1.00 (0.19 - 5.12)	1.26 (0.26 - 6.12)	1.28 (0.67 - 2.44)
	Adjusted RR CBS <sup>¶</sup>	0.82 (0.38 - 1.75)	1.30 (0.20 - 8.66)	1.83 (0.29 - 11.34)	1.39 (0.71 - 2.72)
At 3 months	Risk ratio (RR, 95 CI)	1.01 (0.61 - 1.67)	2.00 (0.32 - 12.59)	2.92 (0.48 - 17.75)	1.46 (0.90 - 2.37)
	Adjusted RR Age	0.98 (0.61 - 1.57)	1.83 (0.29 - 11.56)	2.53 (0.41 - 15.52)	1.38 (0.84 - 2.24)
	Adjusted RR NIHSS <sup>†</sup>	1.02 (0.62 - 1.67)	1.90 (0.32 - 11.41)	2.68 (0.46 - 15.72)	1.42 (0.87 - 2.31)
	Adjusted RR time to IAT	1.10 (0.61 - 2.00)	1.82 (0.34 - 9.62)	2.68 (0.54 - 13.30)	1.47 (0.82 - 2.63)
	Adjusted RR ASPECTS <sup>‡</sup>	1.08 (0.66 - 1.76)	2.30 (0.37 - 14.21)	3.30 (0.56 - 19.58)	1.43 (0.89 - 2.32)
	Adjusted RR CFG <sup>§</sup>	1.05 (0.62 - 1.76)	1.56 (0.29 - 8.37)	2.25 (0.43 - 11.66)	1.45 (0.88 - 2.39)
	Adjusted RR CBS <sup>¶</sup>	1.00 (0.60 - 1.65)	1.99 (0.32 - 12.53)	2.98 (0.48 - 18.32)	1.51 (0.92 - 2.48)

<sup>†</sup>NIHSS: National Institutes Health Stroke Scale. <sup>‡</sup>ASPECTS: Alberta Stroke Program Early CT score<sup>21</sup>. <sup>§</sup>CFG: Collateral Flow Grading<sup>22</sup>. <sup>¶</sup>CBS: Clot Burden Score<sup>20</sup>.